

# Question ID 5df44e78

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: 5df44e78

Which expression is equivalent to  $(8yz)(y)(7z)$ ?

- A.  $56y^2z^2$
- B.  $56y^2z$
- C.  $56yz$
- D.  $16yz$

ID: 5df44e78 Answer

Correct Answer: A

Rationale

Choice A is correct. The given expression can be rewritten as  $(8 \cdot 7)(y \cdot y)(z \cdot z)$ , which is equivalent to  $(56)(y^2)(z^2)$ , or  $56y^2z^2$ .

Choice B is incorrect. This expression is equivalent to  $(8yz)(y)(7)$ .

Choice C is incorrect. This expression is equivalent to  $(8z)(y)(7)$ .

Choice D is incorrect and may result from conceptual or calculation errors.

Question Difficulty: Easy

# Question ID 611fd50b

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: 611fd50b

Which expression is equivalent to  $19(x^2 - 7)$ ?

- A.  $19x^2 - 133$
- B.  $19x^2 - 26$
- C.  $19x^2 - 7$
- D.  $19x^2 + 12$

ID: 611fd50b Answer

Correct Answer: A

Rationale

Choice A is correct. The expression  $19(x^2 - 7)$  can be rewritten as  $19(x^2) - 19(7)$ , which is equivalent to  $19x^2 - 133$ .

Choice B is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect and may result from conceptual or calculation errors.

Choice D is incorrect and may result from conceptual or calculation errors.

Question Difficulty: Easy

# Question ID d1340aa3

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: d1340aa3

Which expression is a factor of  $2x^2 + 38x + 10$ ?

- A.  $2$
- B.  $5x$
- C.  $38x$
- D.  $2x^2$

ID: d1340aa3 Answer

Correct Answer: A

Rationale

Choice A is correct. Since  $2$  is a common factor of each of the terms in the given expression, the expression can be rewritten as  $2(x^2 + 19x + 5)$ . Therefore, the factors of the given expression are  $2$  and  $x^2 + 19x + 5$ . Of these two factors, only  $2$  is listed as a choice.

Choice B is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect. This is a term of the given expression, not a factor of the given expression.

Choice D is incorrect. This is a term of the given expression, not a factor of the given expression.

Question Difficulty: Easy

# Question ID d2cae91a

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: d2cae91a

Which expression is equivalent to  $12x^3 - 5x^3$ ?

- A.  $7x^6$
- B.  $17x^3$
- C.  $7x^3$
- D.  $17x^6$

ID: d2cae91a Answer

Correct Answer: C

Rationale

Choice C is correct. The given expression shows subtraction of two like terms. The two terms can be subtracted as follows:  $12x^3 - 5x^3 = (12 - 5)x^3$ , or  $7x^3$ .

Choice A is incorrect and may result from conceptual or calculation errors.

Choice B is incorrect. This is the result of adding, not subtracting, the two like terms.

Choice D is incorrect and may result from conceptual or calculation errors.

Question Difficulty: Easy

# Question ID 9b0ca0dc

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: 9b0ca0dc

Which expression is equivalent to  $5x^2 - 50xy^2$ ?

- A.  $5x(x - 10y^2)$
- B.  $5x(x - 50y^2)$
- C.  $5x^2(10xy^2)$
- D.  $5x^2(50xy^2)$

ID: 9b0ca0dc Answer

Correct Answer: A

Rationale

Choice A is correct. Since each term of the given expression has a factor of  $5x$ , it can be rewritten as  $5x(x) - 5x(10y^2)$ , or  $5x(x - 10y^2)$ .

Choice B is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect and may result from conceptual or calculation errors.

Choice D is incorrect and may result from conceptual or calculation errors.

Question Difficulty: Easy

# Question ID 7cfe6c55

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: 7cfe6c55

Which expression is equivalent to  $8 + d^2 + 3$ ?

- A.  $d^2 + 24$
- B.  $d^2 + 11$
- C.  $d^2 + 5$
- D.  $d^2 - 11$

ID: 7cfe6c55 Answer

Correct Answer: B

Rationale

Choice B is correct. The given expression can be rewritten as  $d^2 + 8 + 3$ . Adding **8** and **3** in this expression yields  $d^2 + 11$ .

Choice A is incorrect. This expression is equivalent to  $d^2 + 8(3)$ .

Choice C is incorrect. This expression is equivalent to  $8 + d^2 - 3$ .

Choice D is incorrect. This expression is equivalent to  $-8 + d^2 - 3$ .

Question Difficulty: Easy

# Question ID fbcace7b

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: fbcace7b

Which expression is equivalent to  $(2x^2 + x - 9) + (x^2 + 6x + 1)$ ?

- A.  $2x^2 + 7x + 10$
- B.  $2x^2 + 6x - 8$
- C.  $3x^2 + 7x - 10$
- D.  $3x^2 + 7x - 8$

ID: fbcace7b Answer

Correct Answer: D

Rationale

Choice D is correct. The given expression is equivalent to  $(2x^2 + x + (-9)) + (x^2 + 6x + 1)$ , which can be rewritten as  $(2x^2 + x^2) + (x + 6x) + (-9 + 1)$ . Adding like terms in this expression yields  $3x^2 + 7x + (-8)$ , or  $3x^2 + 7x - 8$ .

Choice A is incorrect and may result from conceptual or calculation errors.

Choice B is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect and may result from conceptual or calculation errors.

Question Difficulty: Easy

# Question ID 33206a54

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: 33206a54

Which expression is equivalent to  $(9x^3 + 5x + 7) + (6x^3 + 5x^2 - 5)$ ?

- A.  $15x^6 + 5x^2 - 5x - 35$
- B.  $15x^3 + 10x^2 + 2$
- C.  $15x^6 + 5x^2 + 5x + 2$
- D.  $15x^3 + 5x^2 + 5x + 2$

ID: 33206a54 Answer

Correct Answer: D

Rationale

Choice D is correct. The given expression can be rewritten as  $(9x^3 + 6x^3) + 5x^2 + 5x + (7 - 5)$ . Combining like terms in this expression yields  $15x^3 + 5x^2 + 5x + 2$ .

Choice A is incorrect and may result from conceptual or calculation errors.

Choice B is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect and may result from conceptual or calculation errors.

Question Difficulty: Easy



# Question ID 0e803cba

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: 0e803cba

Which expression is equivalent to  $16(x + 15)$ ?

- A.  $16x + 31$
- B.  $16x + 240$
- C.  $16x + 1$
- D.  $16x + 15$

ID: 0e803cba Answer

Correct Answer: B

Rationale

Choice B is correct. The expression  $16(x + 15)$  can be rewritten as  $16(x) + 16(15)$ , which is equivalent to  $16x + 240$ .

Choice A is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect and may result from conceptual or calculation errors.

Choice D is incorrect and may result from conceptual or calculation errors.

Question Difficulty: Easy

# Question ID 97f3dbe0

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: 97f3dbe0

Which expression is equivalent to  $9x^2 + 7x^2 + 9x$ ?

- A.  $63x^4 + 9x$
- B.  $9x^2 + 16x$
- C.  $25x^5$
- D.  $16x^2 + 9x$

ID: 97f3dbe0 Answer

Correct Answer: D

Rationale

Choice D is correct. In the given expression, the first two terms,  $9x^2$  and  $7x^2$ , are like terms. Combining these like terms yields  $9x^2 + 7x^2$ , or  $16x^2$ . It follows that the expression  $9x^2 + 7x^2 + 9x$  is equivalent to  $16x^2 + 9x$ .

Choice A is incorrect and may result from conceptual or calculation errors.

Choice B is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect and may result from conceptual or calculation errors.

Question Difficulty: Easy

# Question ID 2dfb2204

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: 2dfb2204

Which expression is equivalent to  $50x^2 + 5x^2$ ?

- A.  $250x^2$
- B.  $10x^2$
- C.  $45x^2$
- D.  $55x^2$

ID: 2dfb2204 Answer

Correct Answer: D

Rationale

Choice D is correct. The given expression shows addition of two like terms. Therefore, the given expression is equivalent to  $(50 + 5)x^2$ , or  $55x^2$ .

Choice A is incorrect. This expression is equivalent to  $(50)(5)x^2$ , not  $(50 + 5)x^2$ .

Choice B is incorrect. This expression is equivalent to  $(\frac{50}{5})x^2$ , not  $(50 + 5)x^2$ .

Choice C is incorrect. This expression is equivalent to  $(50 - 5)x^2$ , not  $(50 + 5)x^2$ .

Question Difficulty: Easy

# Question ID 3e4e9da8

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: 3e4e9da8

Which expression is equivalent to  $5x^5 - 6x^4 + 8x^3$ ?

- A.  $x^4(5x - 6)$
- B.  $x^3(5x^2 - 6x + 8)$
- C.  $8x^3(5x^2 - 6x + 1)$
- D.  $6x^5(-6x^4 + 8x^3 + 1)$

ID: 3e4e9da8 Answer

Correct Answer: B

Rationale

Choice B is correct. Since  $x^3$  is a common factor of each term in the given expression, the expression can be rewritten as  $x^3(5x^2 - 6x + 8)$ .

Choice A is incorrect. This expression is equivalent to  $5x^5 - 6x^4$ .

Choice C is incorrect. This expression is equivalent to  $40x^5 - 48x^4 + 8x^3$ .

Choice D is incorrect. This expression is equivalent to  $-36x^9 + 48x^8 + 6x^5$ .

Question Difficulty: Easy

# Question ID 72fa8b3e

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: 72fa8b3e

Which expression is equivalent to  $15w^2 + 8w$ ?

- A.  $w(15w + 8)$
- B.  $8w(15w + 1)$
- C.  $15w^2(8w + 1)$
- D.  $23(w^2 + w)$

ID: 72fa8b3e Answer

Correct Answer: A

Rationale

Choice A is correct. Since each term of the given expression has a common factor of  $w$ , it may be rewritten as  $w(15w + 8)$ . Therefore, the expression  $w(15w + 8)$  is equivalent to  $15w^2 + 8w$ .

Choice B is incorrect. This expression is equivalent to  $120w^2 + 8w$ , not  $15w^2 + 8w$ .

Choice C is incorrect. This expression is equivalent to  $120w^3 + 15w^2$ , not  $15w^2 + 8w$ .

Choice D is incorrect. This expression is equivalent to  $23w^2 + 23w$ , not  $15w^2 + 8w$ .

Question Difficulty: Easy

# Question ID a1bb87b1

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: a1bb87b1

Which expression is equivalent to  $11x^3 - 5x^3$ ?

- A.  $16x^3$
- B.  $6x^3$
- C.  $6x^6$
- D.  $16x^6$

ID: a1bb87b1 Answer

Correct Answer: B

Rationale

Choice B is correct. The given expression can be rewritten as  $11x^3 + (-5)x^3$ . Since the two terms of this expression are both constant multiples of  $x^3$ , they are like terms and can, therefore, be combined through addition. Adding like terms in the expression  $11x^3 + (-5)x^3$  yields  $6x^3$ .

Choice A is incorrect. This is equivalent to  $11x^3 + 5x^3$ , not  $11x^3 - 5x^3$ .

Choice C is incorrect. This is equivalent to  $11x^6 - 5x^6$ , not  $11x^3 - 5x^3$ .

Choice D is incorrect. This is equivalent to  $11x^6 + 5x^6$ , not  $11x^3 - 5x^3$ .

Question Difficulty: Easy

# Question ID bace9af4

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: bace9af4

Which expression is equivalent to  $16x^3y^2 + 14xy$ ?

- A.  $2xy(8xy + 7)$
- B.  $2xy(8x^2y + 7)$
- C.  $14xy(2x^2y + 1)$
- D.  $14xy(8x^2y + 1)$

ID: bace9af4 Answer

Correct Answer: B

Rationale

Choice B is correct. Since  $2xy$  is a common factor of each term in the given expression, the expression can be rewritten as  $2xy(8x^2y + 7)$ .

Choice A is incorrect. This expression is equivalent to  $16x^2y^2 + 14xy$ .

Choice C is incorrect. This expression is equivalent to  $28x^3y^2 + 14xy$ .

Choice D is incorrect. This expression is equivalent to  $112x^3y^2 + 14xy$ .

Question Difficulty: Easy

# Question ID 77d30f46

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: 77d30f46

Which expression is equivalent to  $4(x^2 + 6)$ ?

- A.  $4x^2 + 24$
- B.  $4x^2 + 10$
- C.  $4x^2 + 6$
- D.  $4x^2 - 2$

ID: 77d30f46 Answer

Correct Answer: A

Rationale

Choice A is correct. The expression  $4(x^2 + 6)$  can be rewritten as  $4(x^2) + 4(6)$ , which is equivalent to  $4x^2 + 24$ .

Choice B is incorrect. This expression is equivalent to  $4(x^2 + \frac{5}{2})$ , not  $4(x^2 + 6)$ .

Choice C is incorrect. This expression is equivalent to  $4(x^2 + \frac{3}{2})$ , not  $4(x^2 + 6)$ .

Choice D is incorrect. This expression is equivalent to  $4(x^2 - \frac{1}{2})$ , not  $4(x^2 + 6)$ .

Question Difficulty: Easy



# Question ID 4f9898f3

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: 4f9898f3

Which expression is equivalent to  $(x)^{\frac{1}{14}}$ , where  $x > 0$ ?

- A.  $\frac{1}{14} \cdot x$
- B.  $\sqrt[14]{x}$
- C.  $14 \cdot x$
- D.  $\text{msup}$

ID: 4f9898f3 Answer

Correct Answer: B

Rationale

Choice B is correct. An expression in the form  $x^{\frac{1}{k}}$ , where  $x > 0$  and  $k > 0$ , is equivalent to  $\sqrt[k]{x}$ . It follows that  $x^{\frac{1}{14}}$ , where  $x > 0$ , is equivalent to  $\sqrt[14]{x}$ .

Choice A is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect and may result from conceptual or calculation errors.

Choice D is incorrect and may result from conceptual or calculation errors.

Question Difficulty: Easy

# Question ID a3d03f49

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: a3d03f49

Which expression is equivalent to  $x^2 + 3x - 40$ ?

- A.  $(x - 4)(x + 10)$
- B.  $(x - 5)(x + 8)$
- C.  $(x - 8)(x + 5)$
- D.  $(x - 10)(x + 4)$

ID: a3d03f49 Answer

Correct Answer: B

Rationale

Choice B is correct. The given expression may be rewritten as  $x^2 + 8x - 5x - 40$ . Since the first two terms of this expression have a common factor of  $x$  and the last two terms of this expression have a common factor of  $-5$ , this expression may be rewritten as  $x(x) + x(8) - 5(x) - 5(8)$ , or  $x(x + 8) - 5(x + 8)$ . Since each term of this expression has a common factor of  $(x + 8)$ , it may be rewritten as  $(x - 5)(x + 8)$ .

Alternate approach: An expression of the form  $x^2 + bx + c$ , where  $b$  and  $c$  are constants, can be factored if there are two values that add to give  $b$  and multiply to give  $c$ . In the given expression,  $b = 3$  and  $c = -40$ . The values of  $-5$  and  $8$  add to give  $3$  and multiply to give  $-40$ , so the expression can be factored as  $(x - 5)(x + 8)$ .

Choice A is incorrect. This expression is equivalent to  $x^2 + 6x - 40$ , not  $x^2 + 3x - 40$ .

Choice C is incorrect. This expression is equivalent to  $x^2 - 3x - 40$ , not  $x^2 + 3x - 40$ .

Choice D is incorrect. This expression is equivalent to  $x^2 - 6x - 40$ , not  $x^2 + 3x - 40$ .

Question Difficulty: Easy

# Question ID cf0fc6ba

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: cf0fc6ba

Which expression is equivalent to  $13x^2 - 7x^2$ ?

- A.  $-91x^2$
- B.  $6x^2$
- C.  $20x^2$
- D.  $40x^2$

ID: cf0fc6ba Answer

Correct Answer: B

Rationale

Choice B is correct. Since each term in the given expression has a common factor of  $x^2$ , it can be rewritten as  $(13 - 7)x^2$ , or  $6x^2$ . Therefore, the expression  $6x^2$  is equivalent to  $13x^2 - 7x^2$ .

Alternate approach: Since the two terms of the given expression are both constant multiples of  $x^2$ , they are like terms and can, therefore, be combined through subtraction. Subtracting like terms in the expression  $13x^2 - 7x^2$  yields  $6x^2$ .

Choice A is incorrect. This expression is equivalent to  $(13x)(-7x)$ , not  $13x^2 - 7x^2$ .

Choice C is incorrect. This expression is equivalent to  $13x^2 + 7x^2$ , not  $13x^2 - 7x^2$ .

Choice D is incorrect and may result from conceptual or calculation errors.

Question Difficulty: Easy

# Question ID fb46b28e

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: fb46b28e

Which expression is equivalent to  $12x + 27$ ?

- A.  $12(9x + 1)$
- B.  $27(12x + 1)$
- C.  $3(4x + 9)$
- D.  $3(9x + 24)$

ID: fb46b28e Answer

Correct Answer: C

Rationale

Choice C is correct. Each term in the given expression,  $12x + 27$ , has a common factor of **3**. Therefore, the expression can be rewritten as  $3(4x) + 3(9)$ , or  $3(4x + 9)$ . Thus, the expression  $3(4x + 9)$  is equivalent to the given expression.

Choice A is incorrect. This expression is equivalent to  $108x + 12$ , not  $12x + 27$ .

Choice B is incorrect. This expression is equivalent to  $324x + 27$ , not  $12x + 27$ .

Choice D is incorrect. This expression is equivalent to  $27x + 72$ , not  $12x + 27$ .

Question Difficulty: Easy

# Question ID 4bed3f66

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: 4bed3f66

Which expression is equivalent to  $34x + 34y$ ?

- A.  $34xy$
- B.  $34(x + y)$
- C.  $68y$
- D.  $68x$

ID: 4bed3f66 Answer

Correct Answer: B

Rationale

Choice B is correct. Since **34** is a common factor of each term in the given expression, the expression can be rewritten as  **$34(x + y)$** .

Choice A is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect. This expression is equivalent to  **$34y + 34y$** .

Choice D is incorrect. This expression is equivalent to  **$34x + 34x$** .

Question Difficulty: Easy

# Question ID 401c7c6c

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: 401c7c6c

Which expression is equivalent to  $9x + 6x + 2y + 3y$ ?

- A.  $3x + 5y$
- B.  $6x + 8y$
- C.  $12x + 8y$
- D.  $15x + 5y$

ID: 401c7c6c Answer

Correct Answer: D

Rationale

Choice D is correct. Combining like terms in the given expression yields  $(9x + 6x) + (2y + 3y)$ , or  $15x + 5y$ .

Choice A is incorrect and may result from conceptual or calculation errors.

Choice B is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect and may result from conceptual or calculation errors.

Question Difficulty: Easy

# Question ID 695e5620

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: 695e5620

Which expression is equivalent to  $20w - (4w + 3w)$ ?

- A.  $10w$
- B.  $13w$
- C.  $19w$
- D.  $21w$

ID: 695e5620 Answer

Correct Answer: B

Rationale

Choice B is correct. Combining like terms inside the parentheses of the given expression,  $20w - (4w + 3w)$ , yields  $20w - (7w)$ . Combining like terms in this resulting expression yields  $13w$ .

Choice A is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect and may result from conceptual or calculation errors.

Choice D is incorrect and may result from conceptual or calculation errors.

Question Difficulty: Easy

# Question ID dfb59051

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: dfb59051

Which expression is equivalent to  $(m^4q^4z^{-1})(mq^5z^3)$ , where  $m$ ,  $q$ , and  $z$  are positive?

- A.  $m^4q^{20}z^{-3}$
- B.  $m^5q^9z^2$
- C.  $m^6q^8z^{-1}$
- D.  $m^{20}q^{12}z^{-2}$

ID: dfb59051 Answer

Correct Answer: B

Rationale

Choice B is correct. Applying the commutative property of multiplication, the expression  $(m^4q^4z^{-1})(mq^5z^3)$  can be rewritten as  $(m^4m)(q^4q^5)(z^{-1}z^3)$ . For positive values of  $x$ ,  $(x^a)(x^b) = x^{a+b}$ . Therefore, the expression  $(m^4m)(q^4q^5)(z^{-1}z^3)$  can be rewritten as  $(m^{4+1})(q^{4+5})(z^{-1+3})$ , or  $m^5q^9z^2$ .

Choice A is incorrect and may result from multiplying, not adding, the exponents.

Choice C is incorrect and may result from conceptual or calculation errors.

Choice D is incorrect and may result from conceptual or calculation errors.

Question Difficulty: Easy



# Question ID 5d3181be

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: 5d3181be

Which expression is equivalent to  $256w^2 - 676$ ?

- A.  $(16w - 26)(16w - 26)$
- B.  $(8w - 13)(8w + 13)$
- C.  $(8w - 13)(8w - 13)$
- D.  $(16w - 26)(16w + 26)$

ID: 5d3181be Answer

Correct Answer: D

Rationale

Choice D is correct. The given expression follows the difference of two squares pattern,  $x^2 - y^2$ , which factors as  $(x - y)(x + y)$ . Therefore, the expression  $256w^2 - 676$  can be written as  $(16w)^2 - 26^2$ , or  $(16w)(16w) - (26)(26)$ , which factors as  $(16w - 26)(16w + 26)$ .

Choice A is incorrect. This expression is equivalent to  $256w^2 - 832w + 676$ .

Choice B is incorrect. This expression is equivalent to  $64w^2 - 169$ .

Choice C is incorrect. This expression is equivalent to  $64w^2 - 208w + 169$ .

Question Difficulty: Easy

# Question ID c1e3234d

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: c1e3234d

Which expression is equivalent to  $23x^3 + 2x^2 + 9x$ ?

- A.  $23x(x^2 + 2x + 9)$
- B.  $9x(23x^3 + 2x^2 + 1)$
- C.  $x(23x^2 + 2x + 9)$
- D.  $34(x^3 + x^2 + x)$

ID: c1e3234d Answer

Correct Answer: C

Rationale

Choice C is correct. Since  $x$  is a common factor of each term in the given expression, the given expression can be rewritten as  $x(23x^2 + 2x + 9)$ .

Choice A is incorrect. This expression is equivalent to  $23x^3 + 46x^2 + 207x$ .

Choice B is incorrect. This expression is equivalent to  $207x^4 + 18x^3 + 9x$ .

Choice D is incorrect. This expression is equivalent to  $34x^3 + 34x^2 + 34x$ .

Question Difficulty: Easy

# Question ID 1429f6b2

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: 1429f6b2

Which expression is equivalent to  $17(x^2 - 100y^2)$ ?

- A.  $17(x - 2y)(x - 50y)$
- B.  $17(x - 2y)(x + 50y)$
- C.  $17(x - 10y)(x - 10y)$
- D.  $17(x - 10y)(x + 10y)$

ID: 1429f6b2 Answer

Correct Answer: D

Rationale

Choice D is correct. Expressions in the form  $a^2 - b^2$  follow the difference of two squares pattern and can be factored as  $(a - b)(a + b)$ . In the given expression,  $17(x^2 - 100y^2)$ , the expression  $x^2 - 100y^2$  follows the difference of two squares pattern. It follows that the expression  $x^2 - 100y^2$  can be rewritten as  $(x - 10y)(x + 10y)$ . Therefore, the expression  $17(x - 10y)(x + 10y)$  is equivalent to  $17(x^2 - 100y^2)$ .

Choice A is incorrect. This expression is equivalent to  $17(x^2 - 52xy + 100y^2)$ , not  $17(x^2 - 100y^2)$ .

Choice B is incorrect. This expression is equivalent to  $17(x^2 + 48xy - 100y^2)$ , not  $17(x^2 - 100y^2)$ .

Choice C is incorrect. This expression is equivalent to  $17(x^2 - 20xy + 100y^2)$ , not  $17(x^2 - 100y^2)$ .

Question Difficulty: Easy

# Question ID d926a0a9

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Easy

ID: d926a0a9

Which expression is equivalent to  $9x^2 + 5x$ ?

- A.  $x(9x + 5)$
- B.  $5x(9x + 1)$
- C.  $9x(x + 5)$
- D.  $x^2(9x + 5)$

ID: d926a0a9 Answer

Correct Answer: A

Rationale

Choice A is correct. Since  $x$  is a factor of each term in the given expression, the expression is equivalent to  $x(9x) + x(5)$ , or  $x(9x + 5)$ .

Choice B is incorrect. This expression is equivalent to  $45x^2 + 5x$ , not  $9x^2 + 5x$ .

Choice C is incorrect. This expression is equivalent to  $9x^2 + 45x$ , not  $9x^2 + 5x$ .

Choice D is incorrect. This expression is equivalent to  $9x^3 + 5x^2$ , not  $9x^2 + 5x$ .

Question Difficulty: Easy