

Question ID 9198f2d6

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	One-variable data: Distributions and measures of center and spread	Hard

ID: 9198f2d6

The table shown summarizes the number of employees at each of the **17** restaurants in a town.

Number of employees	Number of restaurants
2 to 7	2
8 to 13	4
14 to 19	2
20 to 25	7
26 to 31	2

Which of the following could be the median number of employees for the restaurants in this town?


- A. **2**
- B. **9**
- C. **15**
- D. **21**

Question ID 3f24389a

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	One-variable data: Distributions and measures of center and spread	Hard

ID: 3f24389a

The dot plots represent the distributions of values in data sets A and B.



Which of the following statements must be true?

- I. The median of data set A is equal to the median of data set B.

II. The standard deviation of data set A is equal to the standard deviation of data set B.
- A. I only

B. II only


C. I and II

D. Neither I nor II

Question ID 6a18e6b3

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	One-variable data: Distributions and measures of center and spread	Hard

ID: 6a18e6b3



The box plots summarize the masses, in kilograms, of two groups of gazelles. Based on the box plots, which of the following statements must be true?

- A. The mean mass of group 1 is greater than the mean mass of group 2.
- B. The mean mass of group 1 is less than the mean mass of group 2.
- C. The median mass of group 1 is greater than the median mass of group 2.
- D. The median mass of group 1 is less than the median mass of group 2.

Question ID 561942c8

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	One-variable data: Distributions and measures of center and spread	Hard

ID: 561942c8



The dot plot represents the **15** values in data set A. Data set B is created by adding **56** to each of the values in data set A. Which of the following correctly compares the medians and the ranges of data sets A and B?


- A. The median of data set B is equal to the median of data set A, and the range of data set B is equal to the range of data set A.
- B. The median of data set B is equal to the median of data set A, and the range of data set B is greater than the range of data set A.
- C. The median of data set B is greater than the median of data set A, and the range of data set B is equal to the range of data set A.
- D. The median of data set B is greater than the median of data set A, and the range of data set B is greater than the range of data set A.

Question ID f95c357a


Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	One-variable data: Distributions and measures of center and spread	Hard

ID: f95c357a

Data Set A



Data Set B



Two data sets of **23** integers each are summarized in the histograms shown. For each of the histograms, the first interval represents the frequency of integers greater than or equal to **10**, but less than **20**. The second interval represents the frequency of integers greater than or equal to **20**, but less than **30**, and so on. What is the smallest possible difference between the mean of data set A and the mean of data set B?

- A. 0
- B. 1
- C. 10
- D. 23

Question ID 5192a9a8

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	One-variable data: Distributions and measures of center and spread	Hard

ID: 5192a9a8


Data set F consists of **55** integers between **170** and **290**. Data set G consists of all the integers in data set F as well as the integer **10**. Which of the following must be less for data set F than for data set G?

- I. The mean
 - II. The median
- A. I only
- B. II only
- C. I and II
- D. Neither I nor II

Question ID 6f43ec88

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	One-variable data: Distributions and measures of center and spread	Hard

ID: 6f43ec88



The two box plots show the distribution of number of books read over the summer by the students in two different English classes. What is the positive difference between the ranges of number of books read over the summer for the two classes?

Question ID 8fed560d

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	One-variable data: Distributions and measures of center and spread	Hard

ID: 8fed560d

Each of the following frequency tables represents a data set. Which data set has the greatest mean?

A.

Value	Frequency
70	4
80	5
90	6
100	7

B.

Value	Frequency
70	6
80	6
90	6
100	6

C.

Value	Frequency
70	7
80	6
90	6
100	7

D.

Value	Frequency
70	8
80	5
90	5
100	8

Question ID 733b819d

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	One-variable data: Distributions and measures of center and spread	Hard

ID: 733b819d

Value	Data set A frequency	Data set B frequency
30	2	9
34	4	7
38	5	5
42	7	4
46	9	2

Data set A and data set B each consist of **27** values. The table shows the frequencies of the values for each data set. Which of the following statements best compares the means of the two data sets?

- A. The mean of data set A is greater than the mean of data set B.
- B. The mean of data set A is less than the mean of data set B.
- C. The mean of data set A is equal to the mean of data set B.
- D. There is not enough information to compare the means of the data sets.

Question ID e03f95ad

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	One-variable data: Distributions and measures of center and spread	Hard


ID: e03f95ad

Data set A consists of the heights of **75** objects and has a mean of **25** meters. Data set B consists of the heights of **50** objects and has a mean of **65** meters. Data set C consists of the heights of the **125** objects from data sets A and B. What is the mean, in meters, of data set C?

Question ID e5175dad

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	One-variable data: Distributions and measures of center and spread	Hard

ID: e5175dad



The dot plot represents a data set of the number of bursts for **13** eruptions of a steam vent. If an additional eruption with **11** bursts is added to this data set to create a new data set of **14** eruptions, which of the following measures will be greater for the new data set than for the original data set?

- I. The median number of bursts
 - II. The mean number of bursts
- A. I and II
- B. I only
- C. II only
- D. Neither I nor II

Question ID d0bebb2c

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	One-variable data: Distributions and measures of center and spread	Hard

ID: d0bebb2c

Data set A consists of the heights of **75** buildings and has a mean of **32** meters. Data set B consists of the heights of **50** buildings and has a mean of **62** meters. Data set C consists of the heights of the **125** buildings from data sets A and B. What is the mean, in meters, of data set C?

Question ID ff37e18d

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	One-variable data: Distributions and measures of center and spread	Hard

ID: ff37e18d

Weight (pounds)	Frequency
13	12
14	8
15	5
16	7
17	9
18	10
19	13
20	7

The frequency table summarizes a data set of the weights, rounded to the nearest pound, of **71** tortoises. A weight of **39** pounds is added to the original data set, creating a new data set of the weights, rounded to the nearest pound, of **72** tortoises. Which statement best compares the mean and median of the new data set to the mean and median of the original data set?

- A. The mean of the new data set is greater than the mean of the original data set, and the median of the new data set is greater than the median of the original data set.
- B. The mean of the new data set is greater than the mean of the original data set, and the medians of the two data sets are equal.
- C. The mean of the new data set is less than the mean of the original data set, and the median of the new data set is less than the median of the original data set.
- D. The mean of the new data set is less than the mean of the original data set, and the medians of the two data sets are equal.

Question ID 5f6315e1

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	One-variable data: Distributions and measures of center and spread	Hard

ID: 5f6315e1

Data set A consists of **10** positive integers less than **60**. The list shown gives **9** of the integers from data set A.
43, 45, 44, 43, 38, 39, 40, 46, 40

The mean of these **9** integers is **42**. If the mean of data set A is an integer that is greater than **42**, what is the value of the largest integer from data set A?